



Gold Series Industrial Dust Collectors



Safely Remove Nuisance, Toxic and Combustible Dusts From Your Factory or Shop

Gold Series dust collectors are the top-rated dust collection systems in the industry, incorporating proven technology that has delivered successful performance in the field for over 25 years. These collectors are designed to handle a wide range of toxic and combustible dust and fumes, including fine, fibrous and heavy dust loads.

Gold Series dust collectors offer high dust processing capacity with low pressure drop, delivering maximum airflow and power for a given footprint.


The baffle configuration works to drop out large particles before they reach the filters. This helps to extend the filter's lifespan, reduce the need for frequent change-outs and reduce the total cost of ownership.

- Modular construction – easy to build and assemble in limitless sizes and configurations
- Tested to meet NFPA and ATEX standards
- Available with numerous explosion protection options
- Exceed OSHA mandates for factory air quality
- Inner cone helps to distribute pulse energy along the filter, so the filters last longer
- Ship in as few pieces as possible for fast delivery
- Easy installation, operation and maintenance
- 25 years of reliable field dust collection performance




Long-Lasting Filter Cartridges

Each module holds four cartridges of HemiPleat® filter media, capable of handling airflows up to 5,000 cfm with low pressure drop. This modular design makes the Gold Series easy to adapt as your process grows. Filter cartridges are available in many options from MERV 10 - 16.



Customizable configurations



Four filters per module

Solve Dust and Fume Problems Across Many Industries and Applications

Gold Series dust collectors are suitable for industrial applications that produce or process fine, fibrous, and heavy dusts and fumes. They are used in industries such as pharmaceutical, mining, food processing, chemical processing, and metalworking, including welding, thermal spray, plasma cutting, laser cutting, and abrasive blasting.



SHOWN WITH OPTIONAL iSMF
(Integrated Safety Monitoring Filter)
to isolate downstream equipment from
the progression of a flame front in the
event of a combustible dust explosion.

Heavy-duty 7- and 10-gauge
steel construction.

Each module can
process maximum
dust loads and moves
maximum air through
the filters while
maintaining a low
pressure drop.

Inlet distributes
airflow and channels
more dust straight to
the hopper instead of
onto the filters.

Gold Cone vertical filter
cartridges have more
downward-facing media
than any other filter
on the market.

Fast filter
replacement through
easy-open, single
point access doors
on each module.

Powder-coated inside and
out for maximum durability.

Combustible dust explosions pose a significant risk at many manufacturing, processing and metalworking plants. One of the leading causes of such incidents is an unprotected dust collection system. Gold Series dust collectors help reduce these risks by being customized to your specific situation.

Safe and Compliant

Gold Series dust collectors meet NFPA and ATEX standards with multiple explosion protection options such as explosion vents, isolation valves, integrated safety monitoring filters and fire-retardant or static dissipative filter cartridges.

Gold Series dust collectors can meet or surpass OSHA requirements for indoor air quality, and can be outfitted with primary filters to MERV 16 and secondary filters to ULPA filtration levels. Camfil offers a fully equipped test lab for dust testing, ASHRAE 199 and ASHRAE 52.2 testing.



Flameless Vent



Stinger Valve



Deflagration Venting



Integrated Safety Monitoring Filter

The Power of Gold Cone® Filters


Gold Cone filter cartridges feature proprietary HemiPleat® filter technology to stay cleaner and last longer than conventional pleated filters.

Gold Cone filters are made for Gold Series dust collectors and offer an industry-leading effective air-to-cloth ratio, with 325 square feet of media in each filter. As a result, each module has the ability to handle up to 5000 cfm.

Using Gold Cone filters with Gold Series dust collectors creates a powerful and cost-effective dust collection system. This system effectively puts dust in its place by pulsing the filters efficiently, which minimizes change-outs, compressed air usage, pressure drop and energy costs.

HemiPleat® Technology

HemiPleat technology is our unique method of creating highly efficient pleated filter media. It utilizes synthetic beads to hold the pleats open and evenly spaced, exposing more media to the airstream. This leads to greater dust loading and release during pulse cleaning, resulting in filters more efficient than standard ones.



Air flows up through the open bottom of the filter cartridge.

Gold Cone® Technology


Gold Cone cartridges include an inner pleat pack, which increases the surface area of cartridges for more efficient use.

Pulsed air is evenly distributed from top to bottom along the outer pack of the filter and down through the inner cone pack. This ejects maximum dust out of the collector with each pulse and maintains a low pressure drop.

More Downward-Facing Media

Gold Cone filter cartridges are designed to deposit the maximum amount of dust directly into the collection bin.

23% of each HemiPleat filter cartridge focuses on discharging collected dust straight down to the hopper. This is a significant advantage over horizontal-style filters which pulse 90% of the dust back onto adjacent filters and only 10% into the hopper.



Filter cartridge placed in Gold Series dust collector



Scanning Electron Microscope Analysis

Camfil Cares

Our industry-leading support services aim to recommend the most cost-effective equipment that complies with industry standards. We provide:

- Site visits
- Prompt response to inquiries
- Specs to guide the budget and bid process
- Engineering, configuration and sizing of collectors to specific applications
- Dust testing
- ASHRAE 199 and 52.2 testing
- Expertise with OSHA, EPA, ATEX and NFPA regulations and standards
- NFPA compliance training
- Maintenance training



ASHRAE Standard 199 Dust Test Apparatus




Gold Series collectors are engineered and sized for your specific application

Gold Series Controls and Accessories

Automatic Filter Cleaning and Energy Saving Controls

Gold Series Touch Screen Controller

This touch screen controller has energy-efficient modes of operation and a flat menu structure that enables access to the most common parameters with the fewest clicks. The Gold Series controller easily accommodates eight languages and units, with a USB port to make software updates easy. The advanced section has multiple inputs that can trigger alarms for multiple external sensors and devices. Only two wires are required to connect the touch screen and the pulse solenoids, regardless of the solenoid quantity.



GOLDLink+™ Filter Monitoring

This combined networking and sensing system monitors the operation of one dust collector or many dust collectors across your operation. It transmits real-time data to the cloud over a secure cellular modem and provides notifications when pressure drop falls outside the desired range. In addition to getting alerts, you can easily view the filters' status via Camfil's dashboard from a phone, laptop, PC or tablet. The GOLDLink+ gives you valuable data to optimize dust collection and reduce overall downtime costs.



ITC Controller with Smart Start



Smart Solenoid Controller

Timer controls for pulsing the solenoids are embedded with the solenoids. This means you no longer have to wire a remote timer board to the solenoid tray. The on/off times are easily adjusted through dials integrated into the solenoid tray.

Modular Construction to Fit Any Application

Modular design makes it fast and easy to get the precise configuration you need.




Gold Series collectors feature a modular design that allows for easy assembly in various sizes and configurations. This results in a system that is perfectly configured for your specific application and space.



Modular construction of Gold Series dust collectors

Gold Series Models



Pharmaceutical Options	Bag-In Bag-Out (BIBO)	Butterfly Valve	Continuous Liner Discharge	Gold Series Options
	Top Hand Rails	UHMW Mining Inlet Baffle	Slurry Tank for Conveying Dust	
Mining Options	Top Hand Rails	UHMW Mining Inlet Baffle	Slurry Tank for Conveying Dust	Copper Tubing and Diaphragm Maintenance Valve
	eXtreme for High Efficiency	Fire-Retardant Media	Carbon Static-Electricity-Conductive Media	Synthetic Washable Media
Gold Cone Media Options	eXtreme for High Efficiency	Fire-Retardant Media	Carbon Static-Electricity-Conductive Media	Synthetic Washable Media
	Integrated Safety Monitoring Filter	Sprinklers	Deflagration Vent	Deflagration Vent with Blast Plate
Prevention of Fire and Dust Explosions	Integrated Safety Monitoring Filter	Sprinklers	Deflagration Vent	Deflagration Vent with Blast Plate
	Vertical Deflagration Vent	Flameless Deflagration Vent	Stinger Backdraft Damper	Chemical Suppression System

Gold Series



GS Drum Kit with Slide Gate



GS Skirt




Auger Screw Conveyor




Self-Dumping Hopper




Clean Sweep




Heavy-Duty Cast Rotary Airlock



Fabricated Flex-Tip Airlock for Fibrous Dust




Cast Rotary Airlock



Dust Briquetter




Ambient Weld Smoke Collection



Source Fume Collection




Source Capture Dust



Source Capture Foundry



Top-Mount Fan



Side-Mount Fan



Ground-Mount Fans




Fan Silencer

Hopper Discharge Options

Ducting Designs

Fans




Pulse Header Silencer



Gold Series High Vacuum




Fully Insulated Collector



Stainless Steel



Remote Safety Monitoring Filter




Broken Bag Detector



Collector Stiffening



Compressed Air Regulator




Custom Structural Steel




Quad Pulse Technology



Custom OEM Designs




Inspection View Port



Heat Exchanger for Exhaust Gas that Cannot be Recirculated



Gold Cone Overbags for Fibrous Dust



Platform and Ladder



Bin Vent



Drop-Out Module



Channel Baffles



Abrasion-Resistant Inlet

Inlet Options



World's Largest Dust, Fume and Mist Collector Manufacturing Facility

285,000-square-foot facility located in Jonesboro, Arkansas



Other Camfil APC Manufacturing Facilities



Taicang, China



Tuttlingen, Germany



Chomutov, Czech Republic

www.camfilapc.com

Camfil APC | 3200 Nestle Road, Jonesboro, AR 72401
870-933-8048 | filterman@camfil.com | 800-479-6801